

HEFFA
CARGO RESTRAINT SYSTEMS

Smart Solutions

RESTRAINT SYSTEMS 2023



MADE IN ROMANIA



HEFFA

CARGO RESTRAINT SYSTEMS


Why HEFFA?

HIGH QUALITY STANDARDS

Heffa manufactures high quality products through his QAP (Quality Assurance Program), which includes:

- > testing of raw material prior to product manufacturing
- > product testing according to product manufacturing
- > proof testing if required (certificates available)
- > final inspection before shipment.

All above ensure us that we offer only products with the highest quality!



HEFFA MISSION

CLASS LEADER

Heffa's mission is to become a class leader in the area of restraint systems for vehicles transport by providing quality products on time and with the greatest value to our customers!

We are focused on the customer needs and striving to exceed their expectations.

These products have never been as better as we made them today!

MADE IN ROMANIA


METAL PARTS

- manufactured according to EN 12195-2.
- hardened steel C45.
- NO Chrome 6 used for the surface treatment (forbiden in usage on E.U.).
- each component stamped with the load capacity, according to EN 12195-2.



WEBBING

- made of heigh tenacity polyester (PES 100%)
- manufactured according to EN 12195-2.
- breaking point 5200 kg for 3 Tons
- breaking point 7800 kg for 5 Tons
- enviroment friendly due to ECO paint
- very low fade out of color
- superior abrasion resistance
- low elongation => less than 4%



RUBBER PROTECTION

- recycled rubber
- heigh teeth for perfect fixing on tyres
- sewed above the rubber base, which prevents sew breaking
- PVC protection on the opposite side of the rubber area



PRODUCT LABEL

- made of PVC and protected with an anti UV Crystal PVC layer
- sewed all around to to prolong lifetime
- can be personalized with customer logo or text.



All products are certified by:



CAR STRAPS

3 Tons | 5 Tons

01. Car Line 130
02. Side loop fixing
03. Over wheel strap with adjustable pads

04. Kombisystem
05. Dolly with snap hooks
06. Dolly with round ring

01. CAR LINE 130

Over wheel strap

CAR LINE 130

Product information



Rotative hooks



Short ergonomic ratchet



Protective rubber band 130 cm length
ETA value: ≥ 0.6

The PVC cover can be personalized with logo / text or other info.



3Tons

Load capacity	Webbing width	Anchoring capacity	Rubber protection size	Packaging	Packaging type
LC 1500 daN LC 3000 daN	35 mm	STF 330 daN	Length=130cm width=60mm	4 pcs/box 350 pcs/pallet	cardboard box

2,5m	2,8m	3m	3,2m	3,5m	4m	4,5m	5m
HEF3TA-504	HEF3TA-505	HEF3TA-506	HEF3TA-161	HEF3TA-507	HEF3TA-508	HEF3TA-509	HEF3TA-510

5Tons

Load capacity	Webbing width	Anchoring capacity	Rubber protection size	Packaging	Packaging type
LC 2500 daN LC 5000 daN	50 mm	STF 500 daN	Length=130cm Width=75mm	4 pcs/box 350 pcs/pallet	cardboard box

2,5m	2,8m	3m	3,2m	3,5m	4m	4,5m	5m
HEF5TA-505	HEF5TA-511	HEF5TA-506	HEF5TA-161	HEF5TA-507	HEF5TA-508	HEF5TA-509	HEF5TA-510

Complies with the new TUV regulations

02. SIDE LOOP FIXING

Side looping fixing strap with "J" type hooks

Product information



Internal product label with info



Side looping strap



Ergonomic handle (classic type)

3Tons



5Tons



3Tons

Load capacity	Webbing width	Anchoring capacity	Loop size	Packaging	Packaging type	Article no.	3m	3,5m	4m	4,5m
							LC 1500 daN LC 3000 daN	35 mm	STF 330 daN	Length=40cm width=35mm

5Tons


Load capacity	Webbing width	Anchoring capacity	Loop size	Packaging	Packaging type	Article no.	3m	3,5m	4m	4,5m
							LC 2500 daN LC 5000 daN	50 mm	STF 500 daN	Length=40cm Width=50mm



03. OVER WHEEL STRAP WITH ADJUSTABLE PADS

Over wheel strap with 3 adjustable pads

Product information




Premium 50mm width webbing



Ergonomic ratchet



Rotative hooks



5Tons

Load capacity	Webbing width	Anchoring capacity	No. of pads	Packaging	Packaging type	Article no.	2,5m	2,7m	3m	3,5m	4m	4,5m	5m
							HEF51A-580	HEF51A-581	HEF51A-582	HEF51A-583	HEF51A-584	HEF51A-585	
LC 2500 daN LC 5000 daN	50 mm	STF 500 daN	3 pads	4 pcs/box 350 pcs/pallet	cardboard box								

04. KOMBISYSTEM

Car strap KOMBISYSTEM

ALU/STEEL wheel

Product information



"J" type hooks



Ergonomic ratchet (classic)



Internal product label with info

Can be used in two different ways

STEEL wheel



ALU wheel



3Tons

Load capacity	Webbing width	Anchoring capacity	Packaging	Packaging type	Article no.	3m
LC 1500 daN LC 3000 daN	35 mm	STF 330 daN	4 pcs/box 350 pcs/pallet	cardboard box		HEF3TA-661


5Tons

Load capacity	Webbing width	Anchoring capacity	Packaging	Packaging type	Article no.	3m
LC 2500 daN LC 5000 daN	50 mm	STF 500 daN	4 pcs/box 350 pcs/pallet	cardboard box		HEF5TA-661

05. DOLLY WITH SNAP HOOKS

Car strap DOLLY with 2 snap hooks

Product information



Premium 50mm width webbing



Full steel ratchet



2 x heavy duty snap hooks




2 Tons

Load capacity	Webbing width	Anchoring capacity	No. of pads	Packaging	Packaging type	Article no.	TL = 2,2m
LC 2000 daN	50 mm	STF 350 daN	3 pads	4 pcs/box 350 pcs/pallet	cardboard box		HEF5TA-650

06. DOLLY WITH ROUND RING

Car strap DOLLY with round steel ring

Product information



Premium 50mm width webbing



Ergonomic ratchet



Heavy duty Round ring



5Tons

Load capacity	Webbing width	Anchoring capacity	No. of rings	Packaging	Packaging type	Article no.	2,5m	3m
							LC 2500 daN LC 5000 daN	50 mm

TRUCK STRAPS

5 Tons

01. Truck Line 200
02. X-Truck

03. Side loop fixing
for trucks



01. TRUCK LINE 200

Over wheel strap TRUCK LINE 200

Product information



Rotative hooks



Ergonomic ratchet



Protective rubber band 200cm length
ETA value: ≥ 0.6



TRUCK LINE 200



HEFFA 5Ton HEFFA

5Tons

Load capacity	Webbing width	Anchoring capacity	Rubber protection size	Packaging	Packaging type	Article no.	5m
2500 daN 5000 daN	50 mm	STF 500 daN	Length=200cm Width=85mm	4 pcs/box 350 pcs/pallet	cardboard box		HEF5TA-156

02. X-TRUCK

X-TRUCK strap

Product information



4 x rotative hooks



2 x ergonomic ratchets



Protective rubber pad



5Tons

Load capacity	Webbing width	Anchoring capacity	Rubber pad size	Packaging	Packaging type	Article no.	T.L. = 6,4m
5000 daN	50 mm	STF 500 daN	Length=25cm Width=30cm	4 pcs/box 350 pcs/pallet	cardboard box		HEF5T-X-TRUCK

03. SIDE LOOP FIXING FOR TRUCKS

Side loop fixing with "J" type hooks

Product information




"J" type hooks



ERGO - Pull type handle 5000 daN



Side loop with protection | 80cm



5Tons

Load capacity	Webbing width	Anchoring capacity	Loop size	Packaging	Packaging type	Article no.	TL = 4,5m
LC 2500 daN LC 5000 daN	50 mm	STF 500 daN	Length=80cm Width=50mm	4 pcs/box 350 pcs/pallet	cardboard box		HEF5TT-570

CARGO STRAPS

3 Tons & 5 Tons

01. 3 Tons & 5 Tons strap
02. DoubleFix strap

03. Heavy machinery
lashing strap


METAL PARTS

- manufactured according to EN 12195-2.
- hardened steel.
- NO Chrome 6 used for the surface treatment (forbiden in usage on E.U.).
- each component stamped with the load capacity, according to EN 12195-2.



GRAY WEBBING

- made of heigh tenacity polyester (PES 100%)
- manufactured according to EN 12195-2.
- breaking point 5200 kg for 3 Tons
- enviroment friendly due to ECO paint
- very low fade out of color
- superior abrasion resistance
- low elongation => less than 4%



RED WEBBING

- made of heigh tenacity polyester (PES 100%)
- manufactured according to EN 12195-2.
- breaking point 7800 kg for 5 Tons
- enviroment friendly due to ECO paint
- very low fade out of color
- abrasion resistance
- low elongation => less or equal to 4%



PRODUCT LABEL

- made of PVC and protected with an anti UV Crystal PVC layer
- sewed all around to to prolong lifetime
- can be personalized with customer logo or text.



Products are certified by:



01. CARGO STRAPS 3 TONS & 5 TONS

Cargo straps

3 Tons & 5 Tons

Product information



Standard steel hooks



ERGO pull type handle for 5 Tons strap



Ergonomic ratchet for 3 Tons strap

3 Tons with Classic handle

5 Tons with ERGO handle



3 Tons

5 Tons

Load capacity	Webbing width	Anchoring capacity	Short part size	Packaging	Packaging type
LC 1500 daN LC 3000 daN	35 mm	STF 330 daN	Length=40cm Width=35mm	4 pcs/box 350 pcs/pallet	cardboard box
Load capacity	Webbing width	Anchoring capacity	Short part size	Packaging	Packaging type
LC 2500 daN LC 5000 daN	50 mm	STF 500 daN ERGO HANDLE	Length=40cm Width=50mm	4 pcs/box 350 pcs/pallet	cardboard box

Total Length	Article no. 3Tons	Article no. 5Tons
4M	HEF3T4	HEF5TERGO4
5M	HEF3T5	HEF5TERGO5
6M	HEF3T6	HEF5TERGO6
7M	HEF3T7	HEF5TERGO7
8M	HEF3T8	HEF5TERGO8
9M	HEF3T9	HEF5TERGO9
10M	HEF3T10	HEF5TERGO10
12M	-	HEF5TERGO12
14M	-	HEF5TERGO14

02. DOUBLEFIX STRAP

DoubleFIX strap


Product information



Spring locks E-Fitting
and 2 classic hooks



Steel ratchet



Locking mechanism



2Tons

Load capacity	Webbing width	Anchoring capacity	Short part size	Packaging	Packaging type	Length	TL = 3m (0,4m+2,6M)
LC 1000 daN LC 2000 daN	50 mm	STF 500 daN	Length=40cm Width=50mm	4 pcs/box 350 pcs/pallet	cardboard box	Article No.	HEF5TD-800



03. HEAVY MACHINERY LASHING STRAP

Heavy machinery lashing strap - 5Tons

Product information



Heavy duty steel hook and triangle ring



Ergonomic ratchet



5Tons

Load capacity	Webbing width	Anchoring capacity	Lenght	Packaging	Packaging type	Total lenght	Article no.
LC 2500 daN LC 5000 daN	50 mm	STF 500daN	Lenght=3 to 8 m Width=50mm	4 pcs/box 350 pcs/pallet	cardboard box	3M	HEF5T-891
						4M	HEF5T-892
						5M	HEF5T-893
						6M	HEF5T-894
						7M	HEF5T-895
						8M	HEF5T-896

TOWING STRAPS

& accessories

01. Towing strap 5T

02. Central axle towing strap

03. Towing accessories

04. Recovery strap


METAL PARTS

- manufactured according to EN 12195-2.
- hardened steel.
- NO Chrome 6 used for the surface treatment (forbidden in usage on E.U.).
- each component stamped with the load capacity, according to EN 12195-2.



WEBBING

- made of high tenacity polyester (PES 100%)
- manufactured according to EN 12195-2.
- breaking point 5200 kg for 3 Tons
- breaking point 7800 kg for 5 Tons
- environment friendly due to ECO paint
- very low fade out of color
- superior abrasion resistance
- low elongation => less than 4%



PRODUCT LABEL


- made of PVC and protected with an anti UV Crystal PVC layer
- sewed all around to prolong lifetime
- can be personalized with customer logo or text.



01. TOWING STRAP

Towing strap with triangle rings & hooks 5Tons

Product information



2 x heavy duty steel hooks & triangle rings



Extra protection for strap



2 x layers of webbing overlapping



5Tons

Load capacity	Webbing width	Lenght available in standard	No. of hooks	Packaging	Packaging type
5000 daN	50 mm in 2 layers	from 3M to 8M	2 pcs.	4 pcs/box 350 pcs/pallet	personalized cardboard box

Total Lenght	Article no.
3M	HEF5TT-100
4M	HEF5TT-101
5M	HEF5TT-102
6M	HEF5TT-103
7M	HEF5TT-104
8M	HEF5TT-105

02. CENTRAL AXLE TOWING STRAP

Central axle towing strap with safety hooks 5Tons

Product information



- 2 x heavy duty steel hooks
- 5 x steel triangle rings



Extra protection
for strap



2 x layers of webbing
overlapping



5Tons

Load capacity	Webbing width	No. of hooks	Packaging	Packaging type	Total Length	Article no.
5000 daN	50 mm in 2 layers	2 pcs.	4 pcs/box 350 pcs/pallet	personalized cardboard box	1,8M	HEF5TT-1.8

03. TOWING ACCESSORIES

Axle strap with 2 steel triangle rings - 5 tone


Product information



2 x triangle steel rings / strap



2 x layers of webbing overlapping



Can be purchased individually or in sets of 4pcs

5Tons

Load capacity	Webbing width	No. of steel triangle	Total length	0,4 m	0,6 m	0,75 m	0,9 m	Set of 4
5000 daN	50 mm in 2 layers	2 pcs / strap	Article No.	HEF5TA-409	HEF5TA-410	HEF5TA-411	HEF5TA-412	HEF5TA-413

Axle strap with webbing protection & triangle steel rings - 5 tone


Product information




2 x triangle steel
rings / strap



2 x layers of webbing
overlapping



secondary protection
for webbing



**Can be purchased individually
or in sets of 4pcs**

5Tons

Load capacity	Webbing width	No. of steel triangle	Total length	0,4 m	0,6 m	0,75 m	0,9 m	Set of 4
5000 daN	50 mm in 2 layers	2 pcs / strap	Article No.	HEF5TA-409.2	HEF5TA-410.2	HEF5TA-411.2	HEF5TA-412.2	HEF5TA-413.2

Axle strap with rubber protection & triangle steel rings - 5 tone


Product information




2 x triangle steel rings / strap



2 x layers of webbing overlapping



rubber sleeve protection



Can be purchased individually or in sets of 4pcs

5Tons

Load capacity	Webbing width	No. of steel triangle	Total length	0,4 m	0,6 m	0,75 m	0,9 m	Set of 4
5000 daN	50 mm in 2 layers	2 pcs / strap	Article No.	HEF5TA-409.1	HEF5TA-410.1	HEF5TA-411.1	HEF5TA-412.1	HEF5TA-413.1

Strap anchor on the alloy rim with eyes and hook - 5Tons


Product information



1 x triangle steel ring / strap



2 x layers of webbing overlapping



secondary webbing protection



5Tons

Load capacity	Webbing width	No. of steel triangle	Total length	1 m
5000 daN	50 mm in 2 layers	1 pcs / strap	Article No.	HEF5TT-1.8

04. RECOVERY STRAP

Recovery tow webbing with slip protection and eyes - 2 tone


Product information



2 x loops with protection



secondary webbing protection



2Tons

Webbing width	Total length	1 m	2 m	3 m	4 m	5 m	6 m
50 mm in 2 layers	Article No.	HEF2TA-300	HEF2TA-301	HEF2TA-302	HEF2TA-303	HEF2TA-304	HEF2TA-305

LIFTING STRAPS

1 Ton - 12 Tons

- 01. Webbing slings with eyes
- 02. Round webbing slings

01. STRAPS WITH EYE

Webbing slings for lifting - with eyes

Product information

All the straps are available in the following TL (total length)
- 1 m up to 10 m (other on request)

Available capacity:
- 1 Ton up to 12 TONS (other on request)

Manufactured according to
E.U. standard - EN 1492-1
Double ply
Safety factor 7:1












2 x eyes with protection

Material: 100% PES (polyester)

1 - 12 Tons



		DUPLIX WEBBING SLINGS CAPACITY IN KGS									
		WLL kg with one Webbing Sling					WLL kg with two Webbing Sling				
		Straight lift	Choke Hitch	Basket Hitch			Straight Inclination		Choke Inclination		
				up to 7°	7° - 45°	45° - 60°	7° - 45°	45° - 60°	7° - 45°	45° - 60°	
WIDTH	COLOUR CODE										
		M=1.0	M=0.8	M=2	M=1.4	M=1.0	M=1.4	M=1.0	M=1.12	M=0.8	
25	VIOLET	1000	800	2000	1400	1000	1400	1000	1120	800	
50	GREEN	2000	1600	4000	2800	2000	2800	2000	2240	1600	
75	YELLOW	3000	2400	6000	4200	3000	4200	3000	3360	2400	
100	GREY	4000	3200	8000	5600	4000	5600	4000	4480	3200	
125	RED	5000	4000	10000	7000	5000	7000	5000	5600	4000	
150	BROWN	6000	4800	12000	8400	6000	8400	6000	6720	4800	
200	BLUE	8000	6400	16000	11200	8000	11200	8000	8960	6400	
250	ORANGE	10000	8000	20000	14000	10000	14000	10000	11200	8000	
300	ORANGE	12000	9600	24000	16800	12000	16800	12000	13440	9600	

SIZE & ARTICLE NO.

Slings with eyes

CAPACITY	LENGHT	ARTICLE NO.	CAPACITY	LENGHT	ARTICLE NO.	CAPACITY	LENGHT	ARTICLE NO.	CAPACITY	LENGHT	ARTICLE NO.	CAPACITY	LENGHT	ARTICLE NO.
1 TON	1 M	MC1T1	2 TONS	1 M	MC2T1	3 TONS	1 M	MC3T1	4 TONS	1 M	MC4T1	5 TONS	1 M	MC5T1
1 TON	2 M	MC1T2	2 TONS	2 M	MC2T2	3 TONS	2 M	MC3T2	4 TONS	2 M	MC4T2	5 TONS	2 M	MC5T2
1 TON	3 M	MC1T3	2 TONS	3 M	MC2T3	3 TONS	3 M	MC3T3	4 TONS	3 M	MC4T3	5 TONS	3 M	MC5T3
1 TON	4 M	MC1T4	2 TONS	4 M	MC2T4	3 TONS	4 M	MC3T4	4 TONS	4 M	MC4T4	5 TONS	4 M	MC5T4
1 TON	5 M	MC1T5	2 TONS	5 M	MC2T5	3 TONS	5 M	MC3T5	4 TONS	5 M	MC4T5	5 TONS	5 M	MC5T5
1 TON	6 M	MC1T6	2 TONS	6 M	MC2T6	3 TONS	6 M	MC3T6	4 TONS	6 M	MC4T6	5 TONS	6 M	MC5T6
1 TON	7 M	MC1T7	2 TONS	7 M	MC2T7	3 TONS	7 M	MC3T7	4 TONS	7 M	MC4T7	5 TONS	7 M	MC5T7
1 TON	8 M	MC1T8	2 TONS	8 M	MC2T8	3 TONS	8 M	MC3T8	4 TONS	8 M	MC4T8	5 TONS	8 M	MC5T8
1 TON	9 M	MC1T9	2 TONS	9 M	MC2T9	3 TONS	9 M	MC3T9	4 TONS	9 M	MC4T9	5 TONS	9 M	MC5T9
1 TON	10 M	MC1T10	2 TONS	10 M	MC2T10	3 TONS	10 M	MC3T10	4 TONS	10 M	MC4T10	5 TONS	10 M	MC5T10

CAPACITY	LENGHT	ARTICLE NO.	CAPACITY	LENGHT	ARTICLE NO.	CAPACITY	LENGHT	ARTICLE NO.	CAPACITY	LENGHT	ARTICLE NO.
6 TONS	1 M	MC8T1	8 TONS	1 M	MC8T1	10 TONS	1 M	MC10T1	12 TONS	1 M	MC12T1
6 TONS	2 M	MC5T2	8 TONS	2 M	MC8T2	10 TONS	2 M	MC10T2	12 TONS	2 M	MC12T2
6 TONS	3 M	MC5T3	8 TONS	3 M	MC8T3	10 TONS	3 M	MC10T3	12 TONS	3 M	MC12T3
6 TONS	4 M	MC5T4	8 TONS	4 M	MC8T4	10 TONS	4 M	MC10T4	12 TONS	4 M	MC12T4
6 TONS	5 M	MC5T5	8 TONS	5 M	MC8T5	10 TONS	5 M	MC10T5	12 TONS	5 M	MC12T5
6 TONS	6 M	MC5T6	8 TONS	6 M	MC8T6	10 TONS	6 M	MC10T6	12 TONS	6 M	MC12T6
6 TONS	7 M	MC5T7	8 TONS	7 M	MC8T7	10 TONS	7 M	MC10T7	12 TONS	7 M	MC12T7
6 TONS	8 M	MC5T8	8 TONS	8 M	MC8T8	10 TONS	8 M	MC10T8	12 TONS	8 M	MC12T8
6 TONS	9 M	MC5T9	8 TONS	9 M	MC8T9	10 TONS	9 M	MC10T9	12 TONS	9 M	MC12T9
6 TONS	10 M	MC5T10	8 TONS	10 M	MC8T10	10 TONS	10 M	MC10T10	12 TONS	10 M	MC12T10
CAPACITY	LENGHT	ARTICLE NO.	CAPACITY	LENGHT	ARTICLE NO.	CAPACITY	LENGHT	ARTICLE NO.	CAPACITY	LENGHT	ARTICLE NO.

02. ROUND WEBBING SLINGS

Round webbing slings for lifting

Product information

All the straps are available in the following TL (total length)
- 0,5 m up to 6 m

Available capacity & length:
- on request

Manufactured according to
E.U. standard - EN 1492-1

Double ply
Safety factor 7:1

Material: 100% PES (polyester)

1 - 10 Tons



SIZE & ARTICLE NO.

Round slings

CAPACITY	LENGHT	ARTICLE NO.	CAPACITY	LENGHT	ARTICLE NO.	CAPACITY	LENGHT	ARTICLE NO.	CAPACITY	LENGHT	ARTICLE NO.	CAPACITY	LENGHT	ARTICLE NO.
1 TON	0,5 M	TE1T1	2 TONS	0,5 M	TE2T1	3 TONS	0,5 M	TE3T1	4 TONS	0,5 M	TE4T1	5 TONS	0,5 M	TE5T1
1 TON	1 M	TE1T2	2 TONS	1 M	TE2T2	3 TONS	1 M	TE3T2	4 TONS	1 M	TE4T2	5 TONS	1 M	TE5T2
1 TON	1,5 M	TE1T3	2 TONS	1,5 M	TE2T3	3 TONS	1,5 M	TE3T3	4 TONS	1,5 M	TE4T3	5 TONS	1,5 M	TE5T3
1 TON	2 M	TE1T4	2 TONS	2 M	TE2T4	3 TONS	2 M	TE3T4	4 TONS	2 M	TE4T4	5 TONS	2 M	TE5T4
1 TON	2,5 M	TE1T5	2 TONS	2,5 M	TE2T5	3 TONS	2,5 M	TE3T5	4 TONS	2,5 M	TE4T5	5 TONS	2,5 M	TE5T5
1 TON	3 M	TE1T6	2 TONS	3 M	TE2T6	3 TONS	3 M	TE3T6	4 TONS	3 M	TE4T6	5 TONS	3 M	TE5T6
1 TON	3,5 M	TE1T7	2 TONS	3,5 M	TE2T7	3 TONS	3,5 M	TE3T7	4 TONS	3,5 M	TE4T7	5 TONS	3,5 M	TE5T7
1 TON	4 M	TE1T8	2 TONS	4 M	TE2T8	3 TONS	4 M	TE3T8	4 TONS	4 M	TE4T8	5 TONS	4 M	TE5T8
1 TON	4,5 M	TE1T9	2 TONS	4,5 M	TE2T9	3 TONS	4,5 M	TE3T9	4 TONS	4,5 M	TE4T9	5 TONS	4,5 M	TE5T9
1 TON	5 M	TE1T10	2 TONS	5 M	TE2T10	3 TONS	5 M	TE3T10	4 TONS	5 M	TE4T10	5 TONS	5 M	TE5T10
1 TON	6 M	TE1T11	2 TONS	6 M	TE2T11	3 TONS	6 M	TE3T11	4 TONS	6 M	TE4T11	5 TONS	6 M	TE5T11

CAPACITY	LENGHT	ARTICLE NO.	CAPACITY	LENGHT	ARTICLE NO.	CAPACITY	LENGHT	ARTICLE NO.
6 TONS	0,5 M	TE6T1	8 TONS	0,5 M	TE8T1	10 TONS	0,5 M	TE10T1
6 TONS	1 M	TE6T2	8 TONS	1 M	TE8T2	10 TONS	1 M	TE10T2
6 TONS	1,5 M	TE6T3	8 TONS	1,5 M	TE8T3	10 TONS	1,5 M	TE10T3
6 TONS	2 M	TE6T4	8 TONS	2 M	TE8T4	10 TONS	2 M	TE10T4
6 TONS	2,5 M	TE6T5	8 TONS	2,5 M	TE8T5	10 TONS	2,5 M	TE10T5
6 TONS	3 M	TE6T6	8 TONS	3 M	TE8T6	10 TONS	3 M	TE10T6
6 TONS	3,5 M	TE6T7	8 TONS	3,5 M	TE8T7	10 TONS	3,5 M	TE10T7
6 TONS	4 M	TE6T8	8 TONS	4 M	TE8T8	10 TONS	4 M	TE10T8
6 TONS	4,5 M	TE6T9	8 TONS	4,5 M	TE8T9	10 TONS	4,5 M	TE10T9
6 TONS	5 M	TE6T10	8 TONS	5 M	TE8T10	10 TONS	5 M	TE10T10
6 TONS	6 M	TE6T11	8 TONS	6 M	TE8T11	10 TONS	6 M	TE10T11

***other capacities & lenghts available on request.**

SPARE PARTS

- 01. Ratchet (handles)
- 02. Rubber protection

01. RATCHETS (HANDLES)

Ratchets (handles)

3 Tons & 5 Tons

Product information

All the ratchet are made from hardened steel.

No Chrome 6 used for the surface treatment (forbiden in E.U.)

Each component stamped with the load capacity.

Manufactured according to E.U. standard - EN 12195-2.



Article name	Load capacity	Webbing width	STF	SH	Strap type (made for)	Total lenght (closed)	Article no.
1. Ratchet 3 Tons for cargo lashing	LC 1500 daN	35mm	330 daN	50 daN	for cargo lashing	16 cm	HEFM3T
2. Ratchet 3 Tons with rotating J hook - for car straps	LC 1500 daN	35mm	330 daN	50 daN	for cargo lashing	16 cm	HEFM3TA
3. Ratchet 5 Tons 196mm with rotating J hook car straps	LC 5000 daN	50mm	500 daN	50 daN	both	19,6 cm	HEFM5T-190
4. Ratchet 5 Tons 230mm for cargo lashing / car straps	LC 5000 daN	50mm	500 daN	50 daN	both	23 cm	HEFM5T-190
5. Ratchet 5 Tons ERGO for cargo lashing	LC 5000 daN	50mm	500 daN	50 daN	cargo lashing	32 cm	HEFM5TERGO

02. RUBBER PROTECTIONS

Rubber protection

3 Tons & 5 Tons


Product information

All the rubber protections are made from recycled rubber

The green side (rubber) has height teeth for perfect fixing on tyres.
ETA value: >0.6

Sewed above the rubber base, which prevents sew breaking

PVC protection can be personalized with logo / text.



Article name	Length	Webbing width	Article no.
1. CAR LINE 130 – 3 Tons	130 cm	35mm	HEF3TA-140
2. CAR LINE 130 – 5 Tons	130 cm	50mm	HEF5TA-140
3. TRUCK LINE 200 – 5 Tons	200 cm	35mm	HEF3TA-141

HEFFA

CARGO RESTRAINT SYSTEMS

MADE IN ROMANIA

A horizontal bar representing the Romanian flag, divided into three equal segments of blue, yellow, and red.

HEFFA
CARGO RESTRAINT SYSTEMS

MADE IN ROMÂNIA



sales@heffa.eu

www.heffa.eu

+40 742 206 414